



Control systems

# Individual Control Systems



Wired remote control

- » User friendly
- » Energy saving functions
- » Auto update to daylight saving time
- » Schedule timer
- » Supports multiple languages



[www.daikin.eu](http://www.daikin.eu)



BRC1E51A



# User-friendly remote control with contemporary design

This simple, modern designed remote control in fresh white (RAL 9010) matches your interior design. Operation is much easier and smoother, just follow the indications on the full dot liquid display.


## Easy to use

### › Main functions directly accessible

Large buttons and arrow keys for easy operation. Basic settings such as fan speed and temperature can be intuitively operated. For other settings just select the function from the menu list.

### › Improved graphical user interface for advanced menu settings

The display gives an explanation of each setting for easy operation.



## Real time clock with auto update to daylight saving time



## Energy saving functions

### › **Set temperature auto reset**


Automatically returns the temperature to the set point after a predetermined time. This is especially useful for locations where users may modify the settings for comfort and forget to reset the controls.

### › **Set temperature range limit**

Limit the set temperature range for heating and cooling mode. This prevents excessive heating or cooling (misuse), so saves energy.

## Schedule timer

Including holiday setting, home leave operation, and an improved weekly timer



## Supports multiple languages

Available in 10 languages.

English, German, French, Spanish, Italian, Portuguese, Greek, Dutch, Russian and Turkish

## Other features

### › **Built-in back-up power**

When a power failure occurs, all settings remain stored up to 48 hours.

### › **Backlight display**



# Specifications / Functions

SPECIFICATIONS		BRC1E51A
Dimensions (HxWxD)		120x120x19 mm
LCD	Display size (HxW)	43.2x68.85 mm
	Type	Full dot (160x255)
Colour		Fresh white
Cover for operation part		No
Max. wiring length		500m

FUNCTIONS		BRC1E51A
Room temperature display		•
Multilingual display		•
Built-in back-up power		•
Guide on display		•
Backlight		•
Key lock		•
Contrast adjustment		•
Weekly schedule timer		•
Clock (time display)		•
Home leave		•
Limit operation		•



BRC1E51A



Daikin's unique position as a manufacturer of air conditioning equipment, compressors and refrigerants has led to its close involvement in environmental issues. For several years Daikin has had the intention to become a leader in the provision of products that have limited impact on the environment. This challenge demands the eco design and development of a wide range of products and an energy management system, resulting in energy conservation and a reduction of waste.

This product is not within the scope of the Eurovent certification programme



The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin Europe N.V.. Daikin Europe N.V. has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin Europe N.V. explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin Europe N.V.

Daikin products are distributed by:

FSC

ECPEN11-306